UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/697,319	10/31/2003	John Deryk Waters	300203672-2	8521
22879 7590 04/10/2008 HEWLETT PACKARD COMPANY P O BOX 272400, 3404 E. HARMONY ROAD INTELLECTUAL PROPERTY ADMINISTRATION			EXAMINER	
			DHINGRA, PAWANDEEP	
	FORT COLLINS, CO 80527-2400		ART UNIT	PAPER NUMBER
			2625	
			NOTIFICATION DATE	DELIVERY MODE
			04/10/2008	ELECTRONIC

# Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

JERRY.SHORMA@HP.COM mkraft@hp.com ipa.mail@hp.com

	Application No.	Applicant(s)	
Office Action Comments	10/697,319	WATERS, JOHN DERYK	
Office Action Summary	Examiner	Art Unit	
	PAWANDEEP S. DHINGRA	2625	
The MAILING DATE of this communication ap Period for Reply	pears on the cover sheet with the o	correspondence address	
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING D.  - Extensions of time may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period.  - Failure to reply within the set or extended period for reply will, by statut. Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNICATION 136(a). In no event, however, may a reply be till will apply and will expire SIX (6) MONTHS from e, cause the application to become ABANDONE	N. mely filed the mailing date of this communication. ED (35 U.S.C. § 133).	
Status			
Responsive to communication(s) filed on 11 L     This action is <b>FINAL</b> . 2b) ☐ This     Since this application is in condition for allowed closed in accordance with the practice under the second seco	s action is non-final. ance except for formal matters, pro		
Disposition of Claims			
4) ☐ Claim(s) 1-4 and 6-13 is/are pending in the ap 4a) Of the above claim(s) 5 is/are withdrawn fr 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-4 and 6-13 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or	rom consideration.		
Application Papers			
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) acc Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the E	cepted or b) objected to by the drawing(s) be held in abeyance. Section is required if the drawing(s) is ob	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).	
Priority under 35 U.S.C. § 119			
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:  1. Certified copies of the priority documen 2. Certified copies of the priority documen 3. Copies of the certified copies of the priority application from the International Burea * See the attached detailed Office action for a list	ts have been received. ts have been received in Applicat prity documents have been receiv nu (PCT Rule 17.2(a)).	ion No ed in this National Stage	
Attachment(s)  1) Notice of References Cited (PTO-892)  2) Notice of Draftsperson's Patent Drawing Review (PTO-948)  3) Information Disclosure Statement(s) (PTO/SB/08)  Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail D 5) Notice of Informal F 6) Other:	ate	

#### **DETAILED ACTION**

 This action is responsive to the following communication: Amendment after non-final rejection filed on 12/11/2007.

• Claims 1-4, and 6-13 are now pending in the present application.

## Response to Arguments

Applicant's arguments filed 12/11/2007 have been fully considered but they are not persuasive.

Applicant argues on page 6, that Austin fails to disclose "wherein the base medium is moved along a first axis through or past the apparatus, and at least a part of the memory tag write device required for communication with the memory tag is moveable relative to the base medium back and forth along a second axis substantially perpendicular to the first axis" as recited in claims 1 and 11. Applicant asserts this merely based on the reasoning that the examiner asserted in the previous office action that element 44 of Austin (cited for memory tag write device) moves back and forth on an axis perpendicular to the base medium, wherein there is no support found in the disclosure of Austin which supports such movement. Hence, applicant concludes that Austin fails to disclose the above argued limitations. Applicant does not provide any further arguments as to why Austin fails to disclose the above argued limitations.

In reply, the examiner respectfully disagrees and asserts that Austin does disclose all the limitations of the claims 1 and 11 as claimed.

The claims 1 and 11 clearly recite "at least a part of the memory tag write device required for communication with the memory tag is moveable relative to the base

medium back and forth along a second axis substantially perpendicular to the first axis".

The examiner further asserts that as its claimed, examiner cited that the part of the

memory tag device (supply roller 34, see figure 2 of Austin) required for communication

with the memory tag moves back and forth on an axis perpendicular to the base

medium in the previous office action. It's the supply roller 34, a part of the memory tag

write device required for communication with the memory tag moves back and forth

(see rejections below for further support and explanation), examiner never stated that

element 44 moves back and forth on an axis perpendicular to the base medium.

Hence, applicant's arguments are both invalid and found not persuasive. There

were no further assertions from the applicant that why Austin fails to disclose the above

argued limitations, therefore the rejections from previous office action are proper and

repeated below.

Double Patenting Rejection

Previous double patenting rejection(s) to claims are withdrawn in view of the

terminal disclaimer filed by the applicant.

Examiner Notes

Examiner cites particular columns and line numbers in the references as applied

to the claims below for the convenience of the applicant. Although the specified citations

are representative of the teachings in the art and are applied to the specific limitations

within the individual claim, other passages and figures may apply as well. It is

respectfully requested that, in preparing responses, the applicant fully consider the

references in entirety as potentially teaching all or part of the claimed invention, as well as the context of the passage as taught by the prior art or disclosed by the examiner.

### Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless --

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 2. Claims 1-2, 6-8, and 11-13 are rejected under 35 U.S.C. 102(b) as being anticipated by Austin et al., US 6,645,327.

Re claim 1, Austin discloses an apparatus for data printing (see fig. 2) and data writing to a memory tag on or in a base medium (see fig. 2; column 5, line 47-column 7, line 39), the apparatus having a print head (see element 12, fig. 2) for printing onto the base medium (see element 100, fig. 2), and a memory tag write device (see element 44, fig. 2) for data writing to the memory tag (i.e. RF tags) on or in the base medium (see fig. 2; column 5, line 47-column 7, line 50), wherein the base medium is moved along a first axis (right to left axis, see fig. 2) through or past the apparatus (see fig. 2; column 5, line 47-column 7, line 50), and at least a part of the memory tag write device (i.e. supply roller 34, figure 2) required for communication with the memory tag is moveable relative to the base medium (see element 110, fig. 2) back and forth along a second axis (i.e. into and out of the page when looking at figure 2) substantially perpendicular to the first

axis (see column 5, line 47-column 7, line 50, note that the roller 34 moves along the axis (clockwise or counterclockwise) pointing into and out of the page (the z axis) when looking at figure 2. The roller 34 moves on an axis into and out of the page (the z-axis), which is perpendicular to the right to left axis (the x-axis) that the base medium moves along).

Re claim 2, Austin further discloses the print head (element 12, fig. 2) is moveable relative to the base medium and moves back and forth along a third axis (into and out of the page, when looking at figure 2) substantially perpendicular to the first axis (see figure 2; column 5, line 47-column 7, line 50, note that the print head 12 moves on an axis into and out of the page (the z-axis), which is perpendicular to the right to left axis (the x-axis) that the base medium moves along. The first axis can be considered as the x-axis while the third axis can be the z-axis, these axes are perpendicular, by definition).

Re claim 6, Austin further discloses the memory tag write device (element 240, fig. 12) is a memory tag read/write device (see column 10, line 54-column 12, line 65), such that the data written to the memory tags can be read and checked after being written (see column 10, line 54-column 12, line 65).

Re claim 7, Austin further discloses the memory tag write device (element 240, fig. 12) is a memory tag read/write device (see column 10, line 54-column 12, line 65), such that data written to memory tags on previously printed base medium can be read from those memory tags when the previously printed base medium is moved through or

Art Unit: 2625

past the apparatus (see figures 8-9, 12; column 7, lines 25-30; column 10, line 54-column 12, line 65).

Re claim 8, Austin further discloses the data once read is used to print additional copies of the previously printed base medium (column 10, line 54-column 12, line 17).

Re claim 11, claim 11 recites similar features as claims 1 & 2 above and is rejected on the same grounds.

Re claim 12, Austin discloses a method of printing onto a base medium (see figure 2) and writing to a memory tag (see 112, fig. 2) on or in the base medium (see column 5, line 47-column 7, line 50) comprising the steps of: i) feeding the base medium along a first axis (right to left axis, fig. 2) past a print head (see 12, fig. 2); ii) printing onto the base medium (see column 5, line 47-column 7, line 50); iii) feeding the base medium past a memory tag write device (see 44, fig. 2) (see column 5, line 47-column 7, line 50); iv) moving the memory tag write device (see 44, fig. 2) along a second axis (i.e. into and out of the page, when looking at figure 2) substantially perpendicular to the first axis (right to left axis, fig. 2) to the location of a memory tag in or on the base medium (see figure 2; column 5, line 47-column 7, line 50, note that the write head 44 moves on an axis into and out of the page (the z-axis), which is perpendicular to the right to left axis (the x-axis) that the base medium moves along. The first axis can be considered as the x-axis while the third axis can be the z-axis, these axes are perpendicular, by definition), and v) writing data to the memory tag in or on the base medium (see column 5, line 47-column 7, line 50).

Re claim 13. Austin further discloses it further includes the step of moving the print head (12, fig. 2) relative to the base medium see column 5, line 47-column 7, line 50) along a third axis (i.e. into and out of the page axis of figure 2) substantially perpendicular to the first axis (right to left axis, fig. 2) in order to print onto the base medium in required locations (see column 5, line 47-column 7, line 50).

## Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 3-4, and 9-10 are rejected under 35 U.S.C. 103 as being unpatentable over Austin et al., US 6,645,327 in view of Hohberger et al. US 6,857,714.

Re claim 3, Austin further discloses the print head and the part of the memory tag write device are connected together (see figures 1-2; column 5, line 47-column 7, line 39, note that elements 12 and 44 (or 34) are connected together and are part of the same housing). Austin further discloses that print head 12 moves relative to the base medium along a third axis (into and out the page, when looking at fig. 2) (see figure 2; column 5, line 47-column 7, line 50).

Austin fails to explicitly disclose that print head and part of the memory tag write device moves in unison along the second axis and third axis.

However, Hohberger teaches that print head (see print head 18, fig. 21) and part of the memory tag write device (see elements 320, 330, fig. 21, note that these supply mechanisms are part of the memory write device (i.e. print head)) moves in unison along the second axis (up and down in figs 21 and 22) and third axis (into and out of the page axis of figure 21) (see column 18, line 63-column 19, line 50).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention to modify the RF tag application system as disclosed by Austin to include the apparatus for applying RFID labels as taught by Hohberger for the benefit of "selectively incorporating a value-adding element such as, for example, a radio frequency identification (hereinafter called RFID) transponder with individual media samples on a programmed, on-demand basis" as taught by Hohberger at column 1, lines 14-26.

Re claim 4, Austin further discloses the print head (12, fig. 2) and the part of the memory tag write device (44 or 34, fig. 2) are amalgamated into a single unit (see figures 1-2; column 5, line 47-column 7, line 39, note that elements 12 and 44 (or 34) are part of the same housing).

Austin fails to explicitly disclose that the second and third axes coincide.

However, Hohberger teaches that the second and third axes coincide (i.e. happen together) (see figure 21-22, and discussion of claim 3 above).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention to modify the RF tag application system as disclosed by Austin to include the apparatus for applying RFID labels as taught by Hohberger for the benefit of "selectively incorporating a value-adding element such as, for example, a radio frequency identification (hereinafter called RFID) transponder with individual media samples on a programmed, on-demand basis" as taught by Hohberger at column 1, lines 14-26.

Re claim 9, Austin failed to further disclose it is adapted to handle base medium in loose sheet form, which passes through the apparatus.

However, Hohberger discloses it is adapted to handle base medium in loose sheet form (i.e. discrete media), which passes through the apparatus (see column 11, lines 24-43).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention to modify the RF tag application system as disclosed by Austin to include the apparatus for applying RFID labels as taught by Hohberger for the benefit of "selectively incorporating a value-adding element such as, for example, a radio frequency identification (hereinafter called RFID) transponder with individual media samples on a programmed, on-demand basis" as taught by Hohberger at column 1, lines 14-26.

Re claim 10, Austin further discloses, "Label media and the material used to produce it typically include label stock, made from paper or plastic (see column 1, lines 46-48).

Austin failed to further disclose it is adapted to handle loose sheets of paper or like material.

However, Hohberger discloses it is adapted to handle loose sheets (i.e. discrete media) of paper or like material (i.e. plastic) (see column 11, lines 24-43).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention to modify the RF tag application system as disclosed by Austin to include the apparatus for applying RFID labels as taught by Hohberger for the benefit of "selectively incorporating a value-adding element such as, for example, a radio frequency identification (hereinafter called RFID) transponder with individual media samples on a programmed, on-demand basis" as taught by Hohberger at column 1, lines 14-26.

#### Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not

mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

### **Contact Information**

Any inquiry concerning this communication or earlier communications from the examiner should be directed to PAWANDEEP S. DHINGRA whose telephone number is (571)270-1231. The examiner can normally be reached on M-F, 9:30-7:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Twyler L. Haskins can be reached on 571-272-7406. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a

Application/Control Number: 10/697,319 Page 12

Art Unit: 2625

USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/P. D./ Examiner, Art Unit 2625

/Twyler L. Haskins/ Supervisory Patent Examiner, Art Unit 2625